

NEW YORK RACING ASSOCIATION - AQUEDUCT RACETRACK - WEEKLY HORSE BARN WEP INSPECTION RECORD																
Name of inspector: Frank Donroe																
Signature: 																
Date of inspection: 8-2-24																
Time inspection started: 2pm																
No horses stabled on site, brought in on race days only																
AREAS SUBJECT TO INSPECTION																
	Barn 1	Barn 2	Barn 3	Barn 4	Barn 5	Barn 6	Barn 7	Barn 8	Barn 9	Barn 10	Barn 11	Barn 12	Barn 12A	Pony Barn	Cafeteria Bldg.	Additional Comments (Deficiencies and Remedies)
Process Wastewater Management																
Are there any signs that animal washing has been conducted outside of the designated washing stalls?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are there any hoses or wash buckets observed outside the barns?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are rubber mats being washed outside of the house wash stalls?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are there signs that vehicle/equipment washing has taken place in the horse barn area?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are WEP signs posted at each end of the barn and middle?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Do storm drains have the words <i>Storm Drain - No Wastewater</i> stenciled nearby?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are horse washing stalls operational?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are chemicals being handled and disposed of in a manner sufficient to prevent pollutants from entering the storm water conveyance system?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are barns free of outside water spigots with the exception of the west side of Barn 11? (State Gaming Commission)	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Dumpster Management																
Is ground around manure/bedding dumpsters free of manure and bedding?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are there signs that dumpsters are releasing residual liquid to the ground?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Do any dumpsters appear to be at capacity or in need of emptying?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Stormwater Management / Diversionary Equipment / Monitoring																
Are gutters and downspouts in good condition and free of debris?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Do stormwater drains show signs of improper wastewater disposal?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Real-Time Dry Weather Monitoring Equipment																
Are solar powered wet sensors in the northern and southern stormwater catchbasins functional?	yes															
Is pump runtime meter on wet well pump control panel functioning?	yes															
Is the daily log being filled out?	yes															
Pump 1: 7701.3 Pump 2: 6889.2																
IMMEDIATELY CONTACT THE WEP COORDINATOR WITH ANY IDENTIFIED DEFICIENCIES AT (516) 204-5093. IF NOT AVAILABLE CONTACT SECURITY AT GATE 6 BACK STRETCH AT (718) 641-7400 OR AQUEDUCT MAIN SECURITY AT (718) 659-3511																